

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMES ONLY FOR PATENTS TO. Box 45D Alexandril, Vaginia 22313-1450 www.usptp.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/848,778	05/03/2001	Peter A. Beerel	06666-077001/USC3027	6633	
20985 75	590 10/12/2005		EXAMINER		
FISH & RICHARDSON, PC			TORRES, JOSEPH D		
12390 EL CAMINO REAL SAN DIEGO, CA 92130-2081			ART UNIT	PAPER NUMBER	
2.1. 2.1. 2.1. 3.1. 3.1. 3.1. 3.1. 3.1.			2133	2133	
			DATE MAIL ED: 10/12/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

h		
	Application No.	Applicant(s)
Office Action Summary	09/848,778	BEEREL ET AL.
Office Action Summary	Examiner	Art Unit
The MAILING DATE of this communication ann	Joseph D. Torres	2133
The MAILING DATE of this communication apprepried for Reply	ears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	l. lely filed the mailing date of this communication. O (35 U.S.C. § 133).
Status		
1)⊠ Responsive to communication(s) filed on <u>03 Seconds</u> 2a)□ This action is FINAL . 2b)⊠ This 3)□ Since this application is in condition for allowant closed in accordance with the practice under Expression in the practice of the	action is non-final. ce except for formal matters, pro	
Disposition of Claims		
4) ⊠ Claim(s) 1-19 and 36-102 is/are pending in the 4a) Of the above claim(s) is/are withdraw 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-19 and 36-102 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	n from consideration.	
Application Papers		
9) The specification is objected to by the Examiner 10) The drawing(s) filed on <u>06 July 2004</u> is/are: a) Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Examiner	☑ accepted or b)☐ objected to b drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of	have been received. have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	

DETAILED ACTION

Page 2

Specification

1. In view of the amendment filed 09/03/2005, the examiner withdraws all previous objections to the specification.

Claim Rejections - 35 USC § 112

2. In view of the amendment filed 09/03/2005, the examiner withdraws all previous 35 USC § 112 rejections.

Response to Arguments

3. Applicant's arguments with respect to claims 1-19 and 36-102 have been considered but are most in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 4. Claims 1, 2, 6-12, 15-17, 19, 36-38, 42-47, 50-52, 61-63, 67-71, 74-76, 85-90, 93, 94, 97, 98, 101 and 102 are rejected under 35 U.S.C. 103(a) as being unpatentable over Viterbi; Andrew J. et al. (US 5933462 A, hereafter referred to as Viterbi) in view of Thomson Leighton (F. Thomson Leighton, Introduction to Parallel Algorithms and Architectures: Arrays-Trees-Hypercubes, Morgan Kaufmann Publishers, Inc., 1992, pages 1-3, 36-45, 238 and 239).

35 U.S.C. 103(a) rejection of claims 1, 8, 9, 12, 16, 17, 36, 37, 44-47, 51, 52, 61-62, 69-71, 75, 76, 85-90, 93, 94, 97, 98, 101 and 102.

Viterbi teaches demodulating the received encoded signal to produce soft information (See Figure 1 and 3 in Viterbi); and iteratively processing the soft information with one or more soft-in/soft-output SISO modules (Figure 4 in Viterbi is a decoder having a feedback loop for iteratively processing soft information according to the iterative algorithm of Figure 7 in Viterbi; col. 3, lines 66-67 and col. 4, lines 66-67 in Viterbi teach clearly suggest the intent to replace to replace the MAP decoders typically used in a turbo decoder with SOVA decoders; Note: a SOVA decoder is inherently a decoder accepting soft inputs to perform Viterbi's algorithm to produce soft outputs; hence a SOVA decoder is also a SISO decoder; the Examiner suggests the Hagenauer treatise included in the Examiner's PTO-892 for teachings on SOVA decoders), at least one

Page 4

SISO module using a tree structure arranged to perform prefix and suffix operations to compute forward and backward state metrics (the Forward Viterbi Decoder 24 in Figure 4 of Viterbi teaches a first SISO module using the Trellis tree structure of Figure 5 to perform prefix operations to compute forward state metrics I_k(s) in Equation 5 in col. 6 of Viterbi and the Backward Viterbi Decoder 24 in Figure 4 of Viterbi teaches a second SISO module using the Trellis tree structure of Figure 5 to perform suffix operations to compute backward state metrics $\vartheta_{k-1}(s')$ in Equation 6 in col. 6 of Viterbi; Note: the Applicant defines prefix operations recursively as $z_0=y_0$ and $z_i=y_0\otimes ...\otimes y_i$, it is easy to see that Equation 5 in col. 6 of Viterbi is a prefix operation by letting $z_0 = y_0 = I_0$, k = i and z_i $=I_i(s)y_i(s',s)$ when \otimes is multiplication, likewise equation 6 of Viterbi satisfies suffix operations if the suffix operations are defined as on page 21 of the Applicant's disclosure).

In addition Viterbi teaches receiving an input signal corresponding to one or more outputs of a finite state machine (A convolutional encoder is inherently an FSM hence the received input signal corresponds to one or more outputs of a finite state machine: Note: a Trellis is also an FSM for the convolutional code).

Viterbi teaches receiving an input signal corresponding to output from one or more block encoding modules (col. 7, lines 40-44 in Viterbi teach one or more block encoding modules; Note: turbo encoders and SCIC codes are comprised of one or more block encoding modules). Note: one of ordinary skill in the art at the time the invention was

made would have recognized that the algorithm in Viterbi is a computationally intensive algorithm.

Page 5

However Viterbi does not explicitly teach the specific use of parallel prefix and suffix operations [Emphasis Added].

Thomson Leighton, in an analogous art, teaches use of **parallel** prefix and suffix operations (Figure 1-21 on page 38 of Thomson Leighton teaches the use of parallel prefix computations for prefix operations or computations such as the forward prefix operations or computations taught in Viterbi; problem 1.27 on page 239 of Thomson Leighton teaches the obvious extension of prefix operations to suffix operations). One of ordinary skill in the art at the time the invention was made would have been highly motivated to combine Viterbi with Thomson Leighton recognizing that the computations in Viterbi are computationally intensive and the parallel prefix and suffix computations in Thomson Leighton provide a parallel algorithm used for computationally intensive algorithms to speed processing up (see top line of page 2 in Thomson Leighton). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Viterbi with the teachings of Thomson Leighton by including use of parallel prefix and suffix operations. This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made. because one of ordinary skill in the art would have recognized that use of parallel prefix and suffix operations would have provided a parallel algorithm used for computationally intensive algorithms to speed processing up (see top line of page 2 in Thomson Leighton).

Application/Control Number: 09/848,778

Art Unit: 2133

35 U.S.C. 103(a) rejection of claims 2, 6, 7, 19, 38, 42, 43, 63, 67 and 68.

Page 6, line 5 of the Applicant's specification marginalization-combining operations-as is any pair of operations that satisfy the commutative semi-ring properties.

Multiplication and addition over field elements used in the calculation of forward state metrics $I_k(s)$ in Equation 5 in col. 6 of Viterbi backward state metrics $\vartheta_{k-1}(s')$ in Equation 6 in col. 6 of Viterbi are marginalization-combining operations since the Multiplication and addition are over a field and any field is a semi-ring.

35 U.S.C. 103(a) rejection of claims 10.

Note: claim 10 is an intended use claim. The Examiner asserts that the decoding devices in Viterbi are communication devices; hence using the decoding devices taught in Viterbi is an obvious embodiment of the teachings in Viterbi since that is what the decoder is designed for and do not require any structural changes in the decoder taught in the Viterbi patent. See Ex parte Masham, 2 USPQ2d 1647 (1987).

35 U.S.C. 103(a) rejection of claims 11.

See blocks 74 and 78 in Figure 7 of Viterbi.

35 U.S.C. 103(a) rejection of claims 15, 50, 59 and 74.

Note: a Brent-Kung tree is a specific obvious embodiment of a Trellis tree structure.

5. Claims 3-5, 13, 14, 18, 39-41, 48, 49, 53-60, 64-66, 72, 73, 77-84, 91, 92, 95, 96, 99 and 100 are rejected under 35 U.S.C. 103(a) as being unpatentable over Viterbi; Andrew J. et al. (US 5933462 A, hereafter referred to as Viterbi) and Thomson Leighton (F. Thomson Leighton, Introduction to Parallel Algorithms and Architectures: Arrays-Trees-Hypercubes, Morgan Kaufmann Publishers, Inc., 1992, pages 1-3, 36-45, 238 and 239) in view of Benedetto et al. (S. Benedetto, D. Divsalar, G. Montorsi, and F. Pollara, Soft-Output Decoding Algorithms in Iterative Decoding of Turbo Codes, TDA progress Report 42-124, Feb. 15, 1996).

35 U.S.C. 103(a) rejection of claims 3, 4, 39, 40, 64 and 65.

Viterbi and Thomson Leighton, substantially teaches the claimed invention described in claims 1, 2, 6-12, 15-17, 19, 36-38, 42-47, 50-52, 61-63, 67-71, 74-76, 85-90, 93, 94, 97, 98, 101 and 102 (as rejected above).

However Viterbi and Thomson Leighton, does not explicitly teach the specific use of Min-sum operations.

Pages 72-73 of Benedetto, in an analogous art, teach max-sum operations. The Examiner asserts that since 1/x is a minimum if x is a maximum so that use of min-sum operations is an obvious embodiment of the teachings in Benedetto, since the operations are inherently equivalent.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings Viterbi and Thomson Leighton with those of Benedetto by including use of Min-sum operations. This modification would have

Application/Control Number: 09/848,778

Art Unit: 2133

been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that use of Min-sum operations would have provided the opportunity to to reduce the complexity for computing forward and backward metrics since multiplication and addition operations are exchanged for maximum and addition operations (see top of page 73 in Benedetto).

35 U.S.C. 103(a) rejection of claims 5, 41 and 66.

See equation 21 on page 72 of Benedetto.

35 U.S.C. 103(a) rejection of claims 13, 48 and 72.

Figure 6 on page 79 of Benedetto teaches using soft output of a first SISO as soft input to another SISO.

35 U.S.C. 103(a) rejection of claims 14, 49 and 73.

The max-sum operations at the top of page 73 in Benedetto for backward and forward metrics are recursive with a latency of O(log₂ N).

35 U.S.C. 103(a) rejection of claims 18, 53 and 77.

The log-BCJR algorithm taught in Benedetto starting on page 71 is a sliding-window algorithm implemented by tiling an observation interval into subintervals called windows; and applying a minimum half-window SISO operation on each subinterval of the window.

100.

35 U.S.C. 103(a) rejection of claim 54, 55, 57, 60, 78, 79, 81, 84, 91, 92, 95, 96, 99 and

Page 9

Viterbi teaches demodulating the received encoded signal to produce soft information (See Figure 1 and 3 in Viterbi); and iteratively processing the soft information with one or more soft-in/soft-output SISO modules (Figure 4 in Viterbi is a decoder having a feedback loop for iteratively processing soft information according to the iterative algorithm of Figure 7 in Viterbi; col. 3, lines 66-67 and col. 4, lines 66-67 in Viterbi teach clearly suggest the intent to replace to replace the MAP decoders typically used in a turbo decoder with SOVA decoders; Note: a SOVA decoder is inherently a decoder accepting soft inputs to perform Viterbi's algorithm to produce soft outputs; hence a SOVA decoder is also a SISO decoder; the Examiner suggests the Hagenauer treatise included in the Examiner's PTO-892 for teachings on SOVA decoders), at least one SISO module using a tree structure arranged to perform parallel prefix and suffix operations to compute forward and backward state metrics (the Forward Viterbi Decoder 24 in Figure 4 of Viterbi teaches a first SISO module using the Trellis tree structure of Figure 5 to perform parallel prefix operations to compute forward state metrics I_k(s) in Equation 5 in col. 6 of Viterbi and the Backward Viterbi Decoder 24 in Figure 4 of Viterbi teaches a second SISO module using the Trellis tree structure of Figure 5 to perform parallel suffix operations to compute backward state metrics $\theta_{k-1}(s')$ in Equation 6 in col. 6 of Viterbi; Note: the Applicant defines prefix operations recursively as $z_0=y_0$ and $z_i=y_0\otimes ...\otimes y_i$, it is easy to see that Equation 5 in col. 6 of

Application/Control Number: 09/848,778

Art Unit: 2133

Viterbi is a prefix operation by letting $z_0=y_0=I_0$, k=i and $z_i=I_i(s)y_i(s',s)$ when \otimes is multiplication, likewise equation 6 of Viterbi satisfies suffix operations if the suffix operations are defined as on page 21 of the Applicant's disclosure).

In addition Viterbi teaches receiving an input signal corresponding to one or more outputs of a finite state machine (A convolutional encoder is inherently an FSM hence the received input signal corresponds to one or more outputs of a finite state machine:

Note: a Trellis is also an FSM for the convolutional code).

Viterbi teaches receiving an input signal corresponding to output from one or more block encoding modules (col. 7, lines 40-44 in Viterbi teach one or more block encoding modules; Note: turbo encoders and SCIC codes are comprised of one or more block encoding modules). Note: one of ordinary skill in the art at the time the invention was made would have recognized that the algorithm in Viterbi is a computationally intensive algorithm.

However Viterbi does not explicitly teach the specific use of **parallel** prefix and suffix operations [Emphasis Added].

Thomson Leighton, in an analogous art, teaches use of <u>parallel</u> prefix and suffix operations (Figure 1-21 on page 38 of Thomson Leighton teaches the use of parallel prefix computations for prefix operations or computations such as the forward prefix operations or computations taught in Viterbi; problem 1.27 on page 239 of Thomson Leighton teaches the obvious extension of prefix operations to suffix operations). One of ordinary skill in the art at the time the invention was made would have been highly motivated to combine Viterbi with Thomson Leighton recognizing that the computations

in Viterbi are computationally intensive and the parallel prefix and suffix computations in Thomson Leighton provide a parallel algorithm used for computationally intensive algorithms to speed processing up (see top line of page 2 in Thomson Leighton). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Viterbi with the teachings of Thomson Leighton by including use of parallel prefix and suffix operations. This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that use of parallel prefix and suffix operations would have provided a parallel algorithm used for computationally intensive algorithms to speed processing up (see top line of page 2 in Thomson Leighton).

Page 11

However Viterbi and Thomson Leighton does not explicitly teach the specific use of a demodulator adapted to receive as input a signal encoded by a finite state machine (FSM) and to produce soft information relating to the received signal.

Benedetto, in an analogous art, teaches the Soft Demodulator of Figure 2 on page 66 of Benedetto receives an encoded signal and demodulates the received encoded signal to produce soft information; Note: convolutional or the turbo code taught in the Benedetto paper is produced using sequential logic, i.e., an FSM.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Viterbi and Thomson Leighton with the teachings of Benedetto by including use of a demodulator adapted to receive as input a signal encoded by a finite state machine (FSM) and to produce soft information relating to the Art Unit: 2133

received signal. This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that use of a demodulator adapted to receive as input a signal encoded by a finite state machine (FSM) and to produce soft information relating to the received signal would have provided the opportunity to provide required soft information to the soft decoders in the Viterbi patent (Note: a SOVA decoder is inherently a decoder accepting soft inputs to perform Viterbi's algorithm to produce soft outputs; hence a SOVA decoder is also a SISO decoder; the Examiner suggest the Hagenauer treatise included in the Examiner's PTO-892 for teachings on SOVA decoders).

35 U.S.C. 103(a) rejection of claims 56 and 80.

Figure 6 on page 79 of Benedetto teaches using soft output of a first SISO as soft input to another SISO.

35 U.S.C. 103(a) rejection of claims 58 and 82.

The max-sum operations at the top of page 73 in Benedetto for backward and forward metrics are recursive with a latency of O(log₂ N).

35 U.S.C. 102(e) rejection of claims 59 and 83.

Note: a Brent-Kung tree is a specific obvious embodiment of a Trellis tree structure.

Page 13

Art Unit: 2133

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph D. Torres whose telephone number is (571) 272-3829. The examiner can normally be reached on M-F 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert Decady can be reached on (571) 272-3819. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free).

JOSEPH TORRES PRIMARY EXAMINER Joseph D. Torres, PhD Primary Examiner Art Unit 2133